



Aqara Downlight Spotlight T2 Pro Introduction

continuous connection


Product

T2 Pro

No.	Type	Product
1	Ø 75regular model	Spotlight T2 Pro (12W 15° Black)
2		Spotlight T2 Pro (12W 24° Black)
3		Spotlight T2 Pro (12W 36° Black)
4		Downlight T2 Pro (12W 60° Black)
5		Spotlight T2 Pro (12W 24° White)
6		Spotlight T2 Pro (12W 36° White)
7		Downlight T2 Pro (12W 60° White)
8	Ø 75 pre embedded	Spotlight T2 Pro (12W 24°)
9		Spotlight T2 Pro (12W 36°)
10		Spotlight T2 Pro (12W 60°)
11	Ø 55 regular model	Spotlight T2 Pro (8W 24° Black)
12		Spotlight T2 Pro (8W 36° Black)
13		Spotlight T2 Pro (8W 60° Black)
14	Accessories	T2 Pro- Ø 75 Matte white reflector
15		T2 Pro- Ø 55 Pre embedded frame
16		T2 Pro- Ø 55 Matte white reflector

T2 Lite

No.	Type	Produce
1	Whole light	Spotlight T2 Lite (15°)
2		Spotlight T2 Lite (24°)
3		Spotlight T2 Lite (36°)
4		Downlight T2 Lite (80°)





安装方式



开孔尺寸



外观颜色

NEW T2 Pro

嵌装、预埋

Ø 75mm、55mm

黑、白

T2

嵌装

Ø 75mm

黑、白

NEW T2 Lite

嵌装

Ø 75mm

黑



显色指数



灯珠品牌



调光深度



功率

NEW T2 Pro

全光谱 Ra96

东洋

0.01%

12W/8W

T2

Ra90

东洋

0.01%

10W

NEW T2 Lite




Ra90

东洋

0.03%

10W

Product Specification

Product	Picture	Protocol	Power	Ra	Dimming depth	Installation	Cutout size	Color
T2		Zigbee	10W	Ra90	0.01%	Embedded	∅ 75mm	Back & White
T2 Pro		Zigbee, BLE	8W/12W	Ra96 Full spectrum	0.01%	Embedded and pre embedded	∅ 75mm、 55mm	Back & White
T2 Lite		Zigbee, BLE	10W	Ra90	0.03%	Embedded	∅ 75mm	Back

THANK YOU