

Aqara MagicPad S1 Plus Introduction



Content

- **Product Introduction**
- **Product Installation**
- **Configuration on App**
- **FAQ**


Product Specification

Category	Description
Dimensions	172 × 86 × 43.7 mm (6.77 × 3.39 × 1.72 in.)
Color	Gray
Wireless Protocols	Wi-Fi IEEE 802.11 a/b/g/n/ac 2.4GHz/5GHz, Zigbee IEEE802.15.4, Bluetooth
Resolution	1440 × 720
Input Power	100 - 240 V, 50/60 Hz, μ
USB-C Input	5V 2A
Electrical Rating	200 - 240 VAC, 50/60 Hz, Max 8 A (Resistive Load), μ Operating Temperature: -10°C ~ 40°C (14°F ~ 104°F)
Operating Temperature	-10°C ~ 40°C (14°F ~ 104°F)
Operating Humidity	0 ~ 95% RH, no condensation

Product Profile



Selling Points



All-in-one Control Panel

Equipped with 2 built-in switches and 6 wireless, it controls Aqara devices with adjustable settings.



Matter Bridge & Zigbee 3.0 Hub

The panel connects Aqara devices to Matter ecosystems like Apple Home, Alexa, and Google Home as a Matter bridge, and features an Aqara Zigbee hub.



Camera Streaming

Stream video from Aqara cameras, unlock smart locks, and automate actions like doorbell press or visitor detection.



Customizable Dashboards

The panel supports customizable dashboards that allows easy editing and dashboard copying.



Power Monitoring

Monitor power usage, view consumption, and create automations to reduce energy and promote sustainability.



Proximity Screen Activation


Proximity activation turns on the screen when a person approaches, with customizable brightness for efficiency and interaction.

Content

- **Product Introduction**
- **Product Installation**
- **Configuration on App**
- **FAQ**


Product Installation

5. Use the provided screws to secure the switch base to the wall junction box.



6. Ensure that the screws at the bottom of the device are loosened. Then, hang the top of the device onto the switch base. Ensure that the panel is flush with the wall and correctly aligned with the switch base, and then tighten the screws.

*Be careful not to apply excessive force when loosening the screws at the bottom of the bracket to prevent the screws from damage.



Content

- **Product Introduction**
- **Product Installation**
- **Configuration on App**
- **FAQ**

Content

- **Product Introduction**
- **Product Installation**
- **Configuration on App**
- **FAQ**

